No.



8400035

# THE UNITED SHATES OF AMERICA

TO ALL TO WHOM THESE; PRESENTS: SHALL, COME:

# Lynnville Seed Company

Colherens, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different tety therefrom, to the extent provided by the Plant Variety Protection Act at 1542, as amended, 7 u.s.c. 2321 et seq.)

SOYBEAN 'Riverside 303C'

In Testimony Watherest, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington

this 31st day of January in the year of our Lord one thousand nine hundred and eighty-six.

Acting Secretary of Agriculture

Start

Genell Hears

Plant Variety Protection Office Agricultural Marketing Service

U.S. DEDA DENASAS	TOT 450.4		
U.S. DEPARTMENT AGRICULTURAL M LIVESTOCK, MEAT, GI	ARKETING SER	RVICE	FORM APPROVED: OMB NO. 0581-000
•			No certificate for plant variety protection may be issued unless a completed apple
APPLICATION FOR PLANT VARI	IETY PROTE on reverse)	ECTION CERTIFICATE	cation form has been received (5 U.S.(
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	3. VARIETY NAME
Lynnville Seed Company	<u> </u>	7516M36	Riverside 303C
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	te, and Zip Code	5. PHONE (Include area code)	FOR OFFICIAL USE ONLY
Lynnville, lowa 50153		515-527-2220	8400035
6. GENUS AND SPECIES NAME	7. FAMILY NA	AME (Botanical)	DATE 1/5/04
Glycine max (L.) Merrill	Legumin	osae	1/5/84 TIME 2:30 A.M. XIP.M.
8, KIND NAME	9	. DATE OF DETERMINATION	AMOUNT FOR FILING
Cardraan		11.46, - 11.4	g s 1,000
Soybean		1981 	DATE 1/5/04
10. IF THE APPLICANT NAMED IS NOT A "PERSO	N," GIVE FORM	OF ORGANIZATION (Corporation	DATE  1/5/84  AMOUNT FOR CERTIFICATE
partitionally, association, etc.,	人名英马马马		ES S S S S S S S S S S S S S S S S S S
Corporation		and the second s	DATE
11. IF INCORPORATED, GIVE STATE OF INCORPORT	DRATION		12. DATE OF INCORPORATION
13. NAME AND ADDRESS OF APPLICANT REPRES	SENATIVE(S), IF	ANY, TO SERVE IN THIS APPLIC	1
			Andrews Court Andrews (1996) Standard British
Roy D. Meeks Lynnville Seed Company			
Lynnville, Iowa 50153		talen til er en skrig er en stille. Grant er en skriger er en skriger	
14. CHECK APPROPRIATE BOX FOR EACH ATTAC	HMENT SUBMI	TTED	
a. X Exhibit A, Origin and Breeding History of the Section 52 of the Plant Variety Protection Ac	: Variety (See :t.)	c. X Exhibit C, Objective E from Plant Variety Pro	Description of the Variety (Request form otection Office.)
b. X Exhibit B, Novelty Statement		d. X Exhibit D, Additional	Description of the Variety
15. DOES THE APPLICANT(S) SPECIFY THAT SEED SEED? (See Section 83(a) of the Plant Variety Pro-	tection Act.)		E ONLY AS A CLASS OF CERTIFIED items 16 and 17 below)
16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	VARIETY BE	17. IF "YES" TO ITEM 16, V BEYOND BREEDER SEE	WHICH CLASSES OF PRODUCTION
Yes X No		Foundation	Registered Certified
18. DID THE APPLICANT(S) FILE FOR PROTECTIO	N OF THE VAR	IETY IN THE U.S. OR OTHER COU	
			Yes (If "Yes," give names of countries and dates)
			X No
19. HAVE RIGHTS BEEN GRANTED IN THE U.S. OF	1 OTHER COUN	TRIES?	Ver IIf "Ver " aiva name
			Yes (If "Yes," give names of countries and dates)
		·	∑ No
. 20. The applicant(s) declare(s) that a viable sample plenished upon request in accordance with suc	e of basic seeds	s of this variety will be furnished	with the application and will be re-
The undersigned applicant(s) is (are) the owne distinct, uniform, and stable as required in Sec Variety Protection Act.	er(s) of this sex	ually reproduced novel plant var	iety, and believe(s) that the variety is provisions of Section 42 of the Plant
Applicant(s) is (are) informed that false repres	entation hereir	n can jeopardize protection and r	result in penalties.
SIGNATURE OF APPLICANT	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	J [ ]	DATE
o am. A			12-29-83
SIGNATURE OF APPLICANT	7,1,2 11.1		
Seed Se by	. 0	_	4-10-84
Lynnville Seed Co. by	ra Ba	arda	4-10-84
FORM LMGS-470 (9-81) (Edition of 1-78 is obsolete)			•

#### EXHIBIT A

Riverside soybean variety, 303C, is an F5 selection from the progeny of the cross of Calland x Pride B216. The progeny from this cross were advanced from F3 to F5 generation utilizing the single seed descent method of breeding. The cross was made and the F1's were grown. F2 seed was harvested and grown out. A single pod was picked from each F2 plant to advance the generation. This procedure was continued until the F5 generation. In the F5 generation, selections were made for yield testing in the F6 generation. Replicated yield tests were conducted in the F7 & F8 generations. Riverside 303C was the highest yielding F5 selection and variety purification and multiplication increase was started in the F8 generation.

"Riverside 303C" is uniform and stable but approximately 1 in 10,000 plants is an off-type with brown pubescence.



#### Exhibit B

'Riverside 303C' is most similar to '90339-30435' with the exception that Riverside 303C is 9 cm shorter in height than '90339-30435'. The differences are shown below.

#### Mean Plant Height in cm

Riverside 303C 90339-30435

82.3 91.1

The individual observations are shown below.

•		303C	90339-30435		
Observation No.		ant Height cm	Plant Height cm		
1		84	92		
2		87	93		
3		79	92		
4	•	82	91		
.5		81	90		
6		84	90		
7		79	90		
	Mean	82.3	91.1		

Mean Plant Height in cm

303C 82.3 90339-30435 91.1

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

# **OBJECTIVE DESCRIPTION OF VARIETY**

SOYBEAN (Glycine max L.)

	TEMPORARY STOL	NATION VARIETY NAME	·
NAME OF APPLICANT(S)	TEMPORARY DESI	37771011	202C
Lynnville Seed Company	7516M36	Riverside	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo	le)	FOR O	FFICIAL USE ONLY
Lynnville, lowa 50153		8	400035
Choose the appropriate response which characterizes the va- in your answer is fewer than the number of boxes provided,	riety in the features , place a zero in the	described below. When the irst box when number is 9	e number of significant digits or less (e.g., 0 9).
1. SEED SHAPE:    Y	2 = Spherica	I Flattened (L/W ratio > 1.2; I Flattened (L/T ratio > 1.2; T	_/T ratio = < 1.2) Γ/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green 3 = Brown	4 = Black	5 = Other (Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			بالمنافق المستعادين المستعادين المستعادين المستعادين المستعادين المستعادين المستعادين المستعادين المستعادين ال
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebs	soy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			•
1 8 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			· •
1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = 1	mperfect Black 6 = Blac	k 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 = Low 2 = High		·	
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 <sup>a</sup> ) 2 = Type B (SP1 <sup>b</sup> )			
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green wi 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71' 4 = Dark Purple extending to unifoliate leaves ('Hodgson'	)	cotyledons ('Woodworth'; 'Tra	cy')
10. LEAFLET SHAPE:		t to see the	
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (	Specify)	

11. LEAF	LET SIZE:	
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')	
12. LEAF	COLOR:	٠
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxton') 3 = Dark Green ('Gnome'; 'Tracy')	
		-
13. FLOW	/ER COLOR:	* .
2	1 = White 2 = Purple 3 = White with purple throat	
14. POD C	COLOR:	
2	1 = Tan 2 = Brown 3 = Black	
15. PLAN	T PUBESCENCE COLOR:	
1	1 = Gray 2 = Brown (Tawny)	•
16. PLAN	T TYPES:	
<u> </u>	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton')	
2	3 = Bushy ('Gnome'; 'Govan')	
17. PLAN1	T HABIT:	
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	
18. MATU	RITY GROUP:	
0 5	1 = 000	
19. DISEA	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)	
BACT	TERIAL DISEASES:	
0	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)	
0	Bacterial Blight (Pseudomonas glycinea)	
0	Wildfire (Pseudomonas tabaci)	
FUNGA	AL DISEASES:	
0	Brown Spot (Septoria glycines)	
	Frogeye Leaf Spot (Cercospora sojina)	
0	Race 1 0 Race 2 0 Race 3 0 Race 4 0 Race 5 0 Other (Specify)	
0	Target Spot (Corynespora cassiicola)	
0	Downy Mildew (Peronospora trifoliorum var. manshurica)	
0	Powdery Mildew (Microsphaera diffusa)	
0	Brown Stem Rot (Cephalosporium gregatum)	
0	Stem Canker (Diaporthe phaseolorum var. caulivora)	

FORM LMGS-470-57 (2-82)

P 1 1 7 1

19. DISEASE	REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2	= Resistant) (Continued)		10 mg - 10 mg
FUNGA	L DISEASES: (Continued)			
0 Pc	od and Stem Blight <i>(Diaporthe phaseolorum</i> var; sojae)			•
0 <sub>Pu</sub>	rple Seed Stain <i>(Cercospora kikuchii)</i>			
0 R	nizoctonia Root Rot ( <i>Rhizoctonia solani)</i>			
Ph	ytophthora Rot (Phytophthora megasperma var. sojae)		· .	
	ce 1 2 Race 2 0 Race 3 0	Race 4 Race 5	0 Race 6	Race 7
	ce 8 0 Race 9 Other (Specify).			
VIRAL D	DISEASES:			÷
	d Blight (Tobacco Ringspot Virus)			
	llow Mosaic (Bean Yellow Mosaic Virus)			
	wpea Mosaic (Cowpea Chlorotic Virus)			
	i Mottle (Bean Pod Mottle Virus).			
	d Mottle (Soybean Mosaic Virus)			
<del></del>	DE DISEASES:			
	bean Cyst Nematode (Heterodera glycines)		·	
0 Rac		Race 4 Other (	Specify)	
	ce Nematode (Hoplolaimus Colombus)	Cuter it	Spacify)	
	thern Root Knot Nematode (Meloidogyne incognita)			
	thern Root Knot Nematode (Meloidogyne Hapla)			
<del>     </del>	nut Root Knot Nematode (Meloidogyne arenaria)	·		·
<u></u>		•		
<b>-</b>	iform Nematode (Rotylenchulus reniformis)			
017	IER DISEASE NOT ON FORM (Specify):			
0. PHYSIOLOG	ICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susce	ptible; 2 = Resistant)		
	Chlorosis on Calcareous Soil			
Othe	r (Specify)	<u> </u>		
· _ <del></del>	CTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = R			· · · · · · · · · · · · · · · · · · ·
	can Bean Beetle (Epilachna varivestis)	(		
	to Leaf Hopper (Empoasca fabae)			
	r (Specify)			
····	HICH VARIETY MOST CLOSELY RESEMBLES THA			
CHARACTE				· · · · · · · · · · · · · · · · · · ·
Plant Shape	Pride B216	CHARACTER	NAME OF V	ARIETY
Leaf Shape	Pride B216	Seed Coat Luster Seed Size	Calland	
Leaf Color	Pride B216	Seed Slape	Pride B216	
Leaf Size	Pride B216	Seedling Pigmentation	Pride B216	

FORM LMGS-470-57 (2-82)

## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT DAYS LODGING		CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY SO	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oii	SEEDS	POD
Submitted	112	1.7	79	2.6	2.9			18.0	2-3
Pride B216 Name of Similar Variety	113	2.0	81	2.9	3.2			16.3	2-3

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

## EXHIBIT D

"Riverside 303C" is an indeterminate variety which has purple flowers and gray pubescence. This variety matures approximately 3 days later than Corsoy 79. This variety is resistant to race 1 and 2 of Phytophthora root rot and has excellent field tolerance when tested against race 4. This variety grew to a height of 79 cm in 1983. This variety has intermediate type of growth habit.